


## [Q40-Q60 Get 100% Passing Success With True C\_IBP\_2111 Exam! [May-2022



**Get 100% Passing Success With True C\_IBP\_2111 Exam! [May-2022 SAP C\_IBP\_2111 PDF Questions - Exceptional Practice To SAP Certified Application Associate - SAP Integrated Business Planning**

SAP C\_IBP\_2111 Exam Syllabus Topics:

TopicDetailsTopic 1- Display, create, copy, edit, check, and activate a planning area- General Configuration of a Planning Area  
Topic 2- Create and use key figures and attributes- Key Figures & AttributesTopic 3- Describe the benefits of implementing SAP's Integrated Business Planning solution- Demand Planning. Solution Architecture. S&OP ReviewTopic 4- Define and view information with user-defined charts and dashboards- Analytics and Reporting

**NO.40** You want to display and edit data in different units of measure (UOM). Which of the following must you consider before you use UOM? Note: There are 3 correct Answers to this question.

- \* Analytics provide the user with the option to select the target unit of measure.
- \* Unit of measure is an attribute of a master data type, such as Product.
- \* Units of measure are usually not time-dependent.
- \* Units of measure are usually not time-independent.
- \* Conversion to the target unit of measure is handled by functionality of SAP IBP Excel UI

**NO.41** NO.53 Which calculations can be processed within the pre-processing step in the forecasting model? Note:

There are 2 correct Answers to this question.

- \* Rounding can be executed for the sales history.
- \* Missing Values can be substituted.
- \* Promotion Sales Lift Ups can be deleted.
- \* Correlations can be evaluated.

**NO.42** When you promote calculated and approved inventory parameters from SAP IBP for inventory, what other IBP modules can be receiving them? Note: There are 2 correct Answers to this question.

- \* SAP IBP for sales and operations
- \* SAP IBP for response and supply
- \* SAP IBP for demand
- \* DDMRP

**NO.43** You have set up a planning area and data is available. You adjust the necessary time profile settings and run the consistency check. Which settings can you change and still run a successful consistency check? Note:

There are 2 correct Answers to this question.

- \* Change the past and future horizon of the levels in the time profile.
- \* Remove an attribute assigned to the time profile level if the attribute is used in a planning level.
- \* Add a new time profile level to the time profile.
- \* Change the description of the attributes in the time profile.

**NO.44** What actions can be performed in the Advanced Dashboards application? Note: There are 3 correct Answers to this question.

- \* Rename the charts.
- \* Add process templates.
- \* Organize charts.
- \* Display all assigned analytics on a single UI.
- \* Link two analytics charts.

**NO.45** Which of the following stages can be modeled using scenarios from the S&OP planning cycle? Note:

There are 2 correct Answers to this question.

- \* Demand sensing stage
- \* Data input review for inventory
- \* Demand review
- \* Demand-supply balancing

**NO.46** You are modeling a substitution scenario associated with a promotion. What are some of the Master Data parameters that you need to maintain to ensure desired results generated by the optimizer? Note: There are 2 correct Answers to this question.

- \* Flag &#8216;Disable Substitution of Location Products
- \* Loc-Prod Subst Valid-From Date
- \* Promotion duration
- \* Location Product Sub Cost Rate

**NO.47** Which of the following key functions are supported by SAP IBP for sales and operations? Note: There are 2 correct Answers to this question.

- \* Manual creation of feasible constrained plans
- \* Finite resource planning
- \* A basic demand planning process
- \* An advanced demand planning process

**NO.48** A time profile is defined with the levels of day, technical week, week, month, quarter, and year. What condition in configuration will allow you to have a different value in the current week, versus all other buckets?

- \* IF(=PERIODID2;=PERIODID2CU;)
- \* IF(=PERIODID5;=PERIODID5CU;)
- \* IF(=PERIODID4;=PERIODID4CU;)
- \* IF(=PERIODID3;=PERIODID3CU;)

**NO.49** Model configuration allows the attributes of a master data type to be assigned as key figures. Which features are relevant for this type of object?

- \* This object contains user-defined criteria that monitor execution of business plans.
- \* This object provides a single value for a unique planning combination.
- \* This type of key figure is not usually stored and it cannot be set to editable.
- \* This object is not exposed to the user in planning views or modeling.

**NO.50** Which of the following configuration options are part of the new key figure creation process? Note:

There are 3 correct Answers to this question.

- \* Hiding or displaying totals for the key figure
- \* Enabling planning notes for the key figure
- \* Setting permitted planning levels
- \* Setting disaggregation logic for the key figure
- \* Enabling fixing for the key figure

**NO.51** What is a prerequisite for modeling outsourced manufacturers with production capacity?

- \* Model production costs for internal and external production resources to model priority.
- \* Model target inventory and stocks at the outsourced location.
- \* Ensure that multiple modes of transportation are set up.
- \* Use production lead times and offsets to manage components at the outsourced location.

**NO.52** You have set up a planning area and data is available. You adjust the necessary time profile settings and run the consistency check. Which settings can you change and still run a successful consistency check?

Note: There are 2 correct Answers to this question.

- \* Change the past and future horizon of the levels in the time profile.
- \* Remove an attribute assigned to the time profile level if the attribute is used in a planning level.
- \* Add a new time profile level to the time profile.
- \* Change the description of the attributes in the time profile.

**NO.53** How many different time levels can be selected within one planning view?

- \* All time levels available in the time profile
- \* All time levels available in the time profile, restricted by global configuration parameter
- \* Only time levels from the base planning level of selected key figures
- \* Only base time levels of the planning area

**NO.54** Which of the following functional areas are included in the out-of-the-box SAP Integrated Business Planning application for sales and operations? Note: There are 3 correct Answers to this question.

- \* Executive review
- \* Demand-driven materials requirement planning
- \* Rough-cut supply planning
- \* Consensus demand planning

- \* Finite resource capacities planning

**NO.55** The Analytics Advanced app allows you to work with different types of charts. What can be the origin of the charts you can work with?

- \* SAP IBP VBA Add-in template
- \* Process Templates
- \* Custom Alerts
- \* Dashboards Advanced

**NO.56** What function would you use to configure a year-to-date calculation?

- \* Rolling Aggregation
- \* Last Period Aggregation
- \* Cumulative Aggregation
- \* Dynamic Rolling Aggregation

**NO.57** You define fixing for a key figure. Which of the following functions are available for this key figure? Note:

There are 2 correct Answers to this question.

- \* Fixing is possible for manually editable key figures.
- \* Fixing is possible for a certain quantity of a key figure value.
- \* Fixing is possible for a certain period, including all child values in the hierarchy.
- \* Fixing is possible for system editable key figures.

**NO.58** Why would you set up a cascading filter in the planning view? Note: There are 2 correct Answers to this question.

- \* To filter attributes based on other attribute filters
- \* To filter using attributes that have a large number of values
- \* To filter data in an Application Job template
- \* To filter attributes based on specific values

**NO.59** You are adding a value-based filter to a planning view. Which of the following conditions apply? Note: There are 3 correct Answers to this question.

- \* The alerts dashboard is not available if a value-based filter is set for the open planning view.
- \* These filters are always applied based on the values stored in the database.
- \* You can only apply one value-based filter per planning view.
- \* These filters can be used together with attribute totals in the same planning view.
- \* You can add (or delete) planning objects to a planning view after these filters are applied.

**NO.60** What setting is mandatory in the Manage Lifecycle Planning app when introducing a new product?

- \* Define which phase-in and phase-out profiles can be used within Lifecycle Planning
- \* Define which key figure can be used as sales history for new products
- \* Define at least one attribute of the planning area which represents the Product ID
- \* Define which is the attribute ID for the Lifecycle profiles

**C\_IBP\_2111 dumps - ExamsLabs - 100% Passing Guarantee:**

[https://www.examlabs.com/SAP/SAP-Certified-Application-Associate/best-C\\_IBP\\_2111-exam-dumps.html](https://www.examlabs.com/SAP/SAP-Certified-Application-Associate/best-C_IBP_2111-exam-dumps.html)