


Jul-2022 Pass Your C_BW4HANA_24 Exam at the First Try with 100% Real Exam [Q34-Q56]



Jul-2022 Pass Your C_BW4HANA_24 Exam at the First Try with 100% Real Exam
Get Real Exam Questions for C_BW4HANA_24 with New Questions

SAP Reporting, Modeling and Data Acquisition with SAP BW/4HANA Certification Exam Details:
Exam Code C_BW4HANA_24 Exam Price \$550 (USD) Number of Questions 80 Passing Score C_BW4HANA_24 - 65%

C_BW4HANA_20 - 64% Schedule Exam SAP Training

Q34. You define a new generic DataSource in SAP ERP with

A time stamp as the delta characteristic

A value for the Safety interval Lower Limit

A new status for changed records.

How does this impact how you model the data target in SAP BW/4HANA?

Note: There are 2 correct answers to this question.

- * The data target must be able to manage duplicate records.
- * The data target can be a DataStore object (advanced) of the Standard DataStore Object model template.
- * The data target can be a DataStore object (advanced) of the InfoCube model template.
- * The data target must be modeled with a characteristic for the safety interval.

Q35. You set up the 2LIS_02_ITM (Purchasing Line Item) data source in SAP ERP using the logistics cockpit. Afterward, you successfully run the initialization into SAP BW/4HANA. Your delta load into SAP BW/4HANA shows zero records even though new purchase orders were created. How do you explain that the delta records do NOT appear in SAP BW/4HANA?

- * A reinitialization for sales orders in SAP ERP was triggered using the logistics cockpit, which deleted the purchase order item initialization.
- * All old purchase orders in SAP ERP were archived overnight before the delta loads.
- * Purchasing extractors in SAP ERP were set up with Queued Delta update mode and the collective run job was NOT scheduled.
- * Another SAP BW/4HANA system already picked up the new purchase orders using a delta load

Q36. You want to use the SAP HANA concept of semantic types as part of the currency conversion mechanism. You decide to use semantic type Amount with Currency Code within your SAP HANA calculation view. Which currency reference can be assigned to the measure? Note: There are 3 correct answers to this question.

- * A fixed currency
- * A currency from a currency conversion
- * A currency from another column
- * A currency from an SAP HANA content calculation view
- * A currency from SAP BW customizing

Q37. You create a BW query. How can you check the navigational attributes of a basic characteristic?

- * Add the basic characteristic to a BW query and check the display properties.
- * Open the editor for the basic characteristic and check the Attribute tab.
- * Select Attributes from the context menu of the basic characteristic in the rows section.
- * Open the InfoProvider view and check the Attribute folder below the basic characteristic.

Q38. You create a transformation from a DataSource to a DataStore object (advanced). The DataSource provides an after-image delta. Which key figure aggregation type do you select?

- * Summation
- * Minimum
- * Maximum
- * Overwrite

Q39. Which objects of an SAP HANA calculation view of DIMENSION data category can you re-use if you define an SAP calculation view of CUBE data category with star join? Note: There are 2 correct answers to this question.

- * Aggregation method
- * Hierarchy assignment
- * Attribute assignment
- * Measure assignment

Q40. You model a second SAP BW/4HANA CompositeProvider to integrate tables from an SAP HANA database schema with an existing SAP BW/4HANA CompositeProvider. What must you do first?

- * Set The CompositeProvider Can Be Added to Another CompositeProvider flag.
- * Assign consumption properties to the new SAP HANA calculation view.
- * Connect an export DataSource from the existing CompositeProvider to the new CompositeProvider.
- * Create an Open ODS view with consumption properties to consume the data in the SAP BW/4HANA schema.

Q41. You want to model an SAP HANA calculation view by combining the sales orders with the corresponding customer status, which was assigned to the customer when the order was issued. Which join properties do you assign to the required join type?

- * Inner join with Dynamic Join properties
- * Referential join with Temporal Join properties
- * Inner join with Temporal Join properties
- * Referential join with Dynamic Join properties

Q42. You use the wizard to create an SAP BW/4HANA Big Data source system. Which activities are mandatory? Note: There are 3 correct answers to this question.

- * Specify connection type Big Data.
- * Select a database object schema.
- * Specify business content type.
- * Specify release type.
- * Select a remote source.

Q43. Which layers are part of the layered scalable architecture for SAP BW/4HANA (LSA++)? Note: There are 2 correct answers to this question.

- * Open Operational Data Store
- * Native SAP HANA data mart
- * Virtual data mart
- * Source system

Q44. In which sequence does SAP recommen

- * 1. Transformations i-I 2. Reporting requirements

3. Sources of data

4. Storage requirements

- * 1. Reporting requirements

2. Sources of data 3. Transformations

4. Storage requirements

- * 1. Storage requirements

2. Transformations

3. Sources of data

4. Reporting requirements

- * 1. Transformations i-I 2. Sources of data

3. Reporting requirements

4. Storage requirements

for the data model design concept?

Q45. You plan to regularly transfer changes from an SAP ERP custom table to SAP BW/4HANA.

An additional custom development may NOT be implemented in the source system.

Which Operational Data Provisioning (ODP) source system type do you recommend?

- * ODP-SLT
- * ODP-CDS
- * ODP-SAP
- * ODP-BW

Q46. Which property settings can you assign for a characteristic? Note: There are 3 correct answers to this question.

- * Useable as InfoProvider
- * Authorization-Relevant
- * High Precision
- * Stock Coverage
- * Attribute Only

Q47. Which settings can you define in a data transfer process (DTP) if you load data into a DataStore object (advanced)?

Note: There are 3 correct answers to this question.

- * Extraction mode
- * Error handling
- * Activation handling
- * Data tiering
- * Semantic groups

Q48. Which source types can you use for a generic DataSource? Note: There are 2 correct answers to this question.

- * Core data service view
- * Function module
- * DB view or table
- * SAP HANA calculation view

Q49. Why do you recommend modeling a data layer in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- * To pre-define a data layout
- * To fulfill snapshot requirements
- * To immediately display changed entries
- * To homogenize and cleanse data from different sources

Q50. You need to enable real-time streaming using SAP HANA smart data integration (SDI) to load data into a DataStore object (advanced). What are prerequisites for this requirement? Note: There are 2 correct answers to this question.

- * The source system is pulling data into SAP BW/4HANA.
- * The process chain is running in streaming mode.
- * The data target is a DataStore object (advanced) of the InfoCube model template.
- * The adapter is real-time enabled.

Q51. You need to load data from a generic DataSource using Operational Data Provisioning (ODP). In which sequence do you perform the activities?

- * 1. Create a DataSource.2. Replicate the DataSource.3. Activate the DataSource.4. Run job RODPS_OS_EXPOSE.
- * 1. Create a DataSource.2. Replicate the DataSource.3. Run job RODPS_OS_EXPOSE.4. Activate the DataSource.
- * 1. Create a DataSource.2. Run job RODPS_OS_EXPOSE.3. Replicate the DataSource.4. Activate the DataSource.
- * 1. Create a DataSource.2. Activate the DataSource.3. Run job RODPS_OS_EXPOSE.4. Replicate the DataSource.

Q52. You need to consume remote HADOOP data in your SAP HANA Native App. Which components can you use? Note: There are 3 correct answers to this question.

- * SAP HANA smart data access
- * SAP HANA smart data integration
- * SAP HANA SQL Controller
- * Spark SQL adapter
- * SAP Vora ODBC adapter

Q53. what must you do if you want to use an object from business content in sap bw/4hana?

- * activate the object in data warehousing workbench
- * identify the business content object in sap hana studio
- * copy the business content object into customer name space
- * convert the object from A version to D version

Q54. How many SAP BW/4HANA transformations and delta dtp can you define for the same source target?

- * One SAP BW/4HANA transformation

Multiple delta dtp with different filter;

- * Multiple SAP BW/4HANA transformation

Multiple delta dtp with different filter;

- * One SAP BW/4HANA transformation

One delta dtp;

- * One SAP BW/4HANA transformation

Multiple delta dtp without filter;

Q55. You need to combine master data (right table) and transactional data (left table) using a referential join. How will this referential join behave?

- * It is executed as an inner join when NO fields from the right table are requested.
- * It always returns all fields from the right table as a result data set.
- * It is executed as an inner join when a description mapping is defined between the left table and the right table.
- * It returns a result data set if the left table has a corresponding entry on the right table.

Q56. What can you do when you use process chains? Note: There are 2 correct answers to this question.

- * Trigger delta merge.
- * Activate requests in DataStore objects (advanced).
- * Generate transformations.
- * Activate data transfer processes (DTPs).

SAP Reporting, Modeling and Data Acquisition with SAP BW/4HANA Certification Exam Topics:

Topic Areas Topic Details, Courses, Books Weighting SAP BW/4HANA Modeling Describe SAP BW/4HANA 2.x model options and recommend best practice standards like LSA++ BW430 (SAP BW/4HANA 2.0 SP04) 8% - 12% Data Acquisition into SAP BW/4HANA Integrate different sources to SAP BW/4HANA 2.x. BW450 (SAP BW/4HANA 2.0 SP04) > 12% Fundamentals Define the terms and basic concepts of SAP BW/4HANA 2.x BW405 (SAP BW/4HANA 2.0 SP04)

BW430 (SAP BW/4HANA 2.0 SP04)

BW450 (SAP BW/4HANA 2.0 SP04) 8% - 12% SAP Analytics Tools Analyze data with analytics tools such as Lumira, SAC, and Analysis for Office BW405 (SAP BW/4HANA 2.0 SP04) 8% - 12% SAP BW/4HANA Data Flow Load data with SAP BW/4HANA 2.x BW410 (SAP BW/4HANA 2.0 SP04) 8% - 12% SAP BW/4HANA Project and the Modeling Process Guide a SAP BW/4HANA 2.x project. BW430 (SAP BW/4HANA 2.0 SP04) < 8% InfoObjects and InfoProviders Use InfoObjects and InfoProviders with SAP BW/4HANA 2.x BW410 (SAP BW/4HANA 2.0 SP04) > 12%

Updated C_BW4HANA_24 Certification Exam Sample Questions:

https://www.examlabs.com/SAP/SAP-Certified-Application-Associate/best-C_BW4HANA_24-exam-dumps.html