

Tested & Approved Tableau-CRM-Einstein-Discovery-Consultant Study Materials Download Free Updated 210 Questions [Q79-Q102]

Tested & Approved Tableau-CRM-Einstein-Discovery-Consultant Study Materials Download Free Updated 210 Questions
Regular Free Updates Tableau-CRM-Einstein-Discovery-Consultant Dumps Real Exam Questions Test Engine

NEW QUESTION 79

What does the Division is Naval section of the waterfall graph tell you?

- * How combinations of factors affect the CLV for Naval customers
- * How individual factors separately affect the outcome for Naval customers
- * What the relationship is between significant and insignificant factors as they impact CLV for Naval customers
- * How the chosen variable is related to all other factors in the model for Naval customers

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/dm_einstein_discovery_advanced_stories/dm_understand_why_it_happened_insights

NEW QUESTION 80

The edgemart transformation gives the dataflow access to an existing, registered dataset that can contain Salesforce data, external data, or a combination of both.

Where is an edgemart transformation specified?

- * Dataflow Editor
- * Recipes Editor
- * Step Editor
- * Settings

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_edgemart_transformation.htm&type=5

NEW QUESTION 81

A company wants to allow users who belong to an account team to see all the Opportunities associated with that Account in Einstein Analytics.

Which two actions accomplish this requirement? Choose 2 answers

- * Apply sharing inheritance.
- * Create a master-detail relationship between the Salesforce Account and Opportunity objects.
- * In the dataflow, extract the AccountTeamMember object and augment it with the Opportunity object using `‘AccountId’` as the join field and apply following security predicate: `‘AccountTeamMember.UserId’ == “$User.Id”`.
- * In the dataflow, extract the OpportunityTeamMember object and augment it with the Opportunity object using `‘OpportunityId’` as the join field and apply the following security predicate: `‘OpportunityTeamMember.UserId’ == “$User.Id”`.

NEW QUESTION 82

Why is it important to prepare the data in a CSV file before you bring it into Analytics?

- * To remove column headers
- * To make sure the content is interesting
- * To add currency symbols to numeric fields
- * To make sure Analytics can set the field type correctly

NEW QUESTION 83

How many stories can you create in Analytics Plus?

- * 5,000
- * 1,000, but more can be purchased
- * 75, but more can be purchased
- * 500, but more can be purchased

NEW QUESTION 84

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app.

A set of JSON files will be generated after a template is created from the Sales Operations app. What is the name of the JSON file that manages template metadata and all other template elements?

- * ui.json
- * template-to-app-rules.json
- * aster-info.json
- * template-info.json

NEW QUESTION 85

You can configure access to data at all of the following levels, except:

- * Organization
- * Records
- * Page Layouts
- * Objects

NEW QUESTION 86

What are Einstein Analytics prebuilt permission sets? Select 2:

- * Einstein Analytics Platform Admin
- * Einstein Analytics Platform User
- * Einstein Analytics
- * Einstein Analytics Superadmin

NEW QUESTION 87

What can you do with the dataflow?

- * Extract data from an external CSV file into Analytics
- * Extract Salesforce object data into Analytics

- * Build a dashboard
- * Explore a dataset

NEW QUESTION 88

How do you open the Actions menu for a particular case shown in a dashboard?

- * Click the Actions bar from a bubble chart
- * Hover over the case number column of the values table widget and click the arrow that appears
- * Double-click the case number in the Actions widget
- * Simply @mention the case manager for that segment

NEW QUESTION 89

Philip adds a recently created Seed Bank Orders dataset to an Einstein Analytics app for which the Mosaic Seed Bank project team has the Viewer app role. How much data in the Seed Bank Orders dataset can a project team member see?

- * None of the data
- * Only rows designated by the Salesforce administrator
- * All rows and fields in the datasets
- * Only rows designated by the App Manager

NEW QUESTION 90

Which security feature can be used to give Regional Development Coordinator roles access to only their designated regions and seed bank orders?

- * Inherited security
- * Security predicates
- * Separate apps for each region
- * Sharing rules

NEW QUESTION 91

When organizing information in an Einstein Analytics dashboard, what does the 'Progressive Disclosure' design principle mean?

- * Only provide the user with the level of detail they need to see, with the option to drill down deeper into more details.
- * Utilize the latest templates for the most modern look and feel.
- * Intentionally omit specific details so that users can do ad-hoc exploration if needed for root-cause analysis.
- * Implement strict security predicates to minimize the amount of information displayed to users.

NEW QUESTION 92

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- * Check if any steps can be reused for multiple purposes.
- * Replace AggregateFlex steps with SAQL steps.
- * Split the steps and charts into different pages in a dashboard.
- * Avoid using conditional formatting.

NEW QUESTION 93

Universal Containers has a dashboard for Sales Managers to visualize the YoY Growth of their customers- The formula used is:
 $YoY = [(This\ Year \&\#8211; Last\ Year) / Last\ Year] \%$ Based on the graphic, when there is no account in the Last Year column, the YoY Growth shows null results. The Sales Managers want to replace it with 100% value.

What is the correct function to use?

- * `replace()`
- * `number_to_string()`
- * `coalesce()`
- * `substr()`

NEW QUESTION 94

A consultant wants to optimize data loads by extracting Salesforce objects using independent Einstein Analytics dataflows ahead of time. Which construct should be used to accomplish this?

- * Augment
- * Dataflow
- * Clone
- * Data Sync (Replication)

NEW QUESTION 95

When creating a story in Einstein Discovery, do all potential collinear fields need to be removed before executing the build story’5

- * No. Einstein Discovery is impervious to collinearity, so the story and subsequent model will be fine.
- * No. Although it is ideal to eliminate collinearity as soon as possible, Einstein will give a warning post-build and the ridge regression will prevent collinearity from over-fitting.
- * yes. If all collinear variables are not excluded, the model will over-fit and not make any sense.
- * Yes. If the collinear variables are not removed, the Einstein Discovery model build will fail.

NEW QUESTION 96

Where can you view the status of a CSV upload in Analytics?

- * The data manager
- * The Analytics home page
- * The Create Dataset page
- * The Setup menu

NEW QUESTION 97

An Einstein Consultant needs to add some data values to an existing dataflow: a text field, a number (via a case statement), and a date (via SAQL).

In order to achieve this, which compute option should be used?

- * `computeExpression`
- * `computeData`
- * `computeValue`
- * `computeField`

NEW QUESTION 98

Upper and lower limits on columns (vars) in discovery:

- * 20 column minimum, 50 maximum
- * 10 column minimum, 200 maximum
- * 2 column minimum, 50 maximum
- * 2 column minimum, 25 maximum

NEW QUESTION 99

The Einstein Analytics team at a company created a dataset based on the Opportunity__c custom object. The VP of Sales reports seeing the message "No results found"; when opening the dataset to explore it. Other users below the VP in the role hierarchy can see rows on the same dataset. Which two problems might be causing this issue?

- * The Salesforce profile for the VP does not have read permission on some fields of the Opportunity__c custom object
- * The Security Predicates set up at the dataset level are preventing the VP from seeing data
- * The dataset is inheriting sharing from Salesforce and the VP can see more than 3000 rows
- * The Salesforce profile for the VP does not have read permission on the Opportunity__c custom object

NEW QUESTION 100

What is the test called that helps to identify categories that exhibit a pattern outside the overall average?

- * Null hypothesis test
- * Significance level test
- * Critical region test
- * Chi-square test
- * T-test

NEW QUESTION 101

What happens if you first disable Analytics, and then you re-enable Analytics later? Select 2

- * User permissions are removed from each defined permission set if Analytics is disabled. (Missed)
- * User permissions are not removed from each defined permission set if Analytics is disabled.
- * You must define the permission sets again if Analytics is re-enabled. (Missed)
- * You must not define the permission sets again if Analytics is re-enabled.

Reference:

https://blog.bessereau.eu/assets/pdfs/bi_admin_guide_setup.pdf

NEW QUESTION 102

How many groupings can you have in a Compare Table?

- * None
- * One
- * Infinite
- * Up to four

Pass Salesforce Tableau-CRM-Einstein-Discovery-Consultant Exam in First Attempt Easily:

<https://www.examlabs.com/Salesforce/Salesforce-Consultant/best-Tableau-CRM-Einstein-Discovery-Consultant-exam-dumps.html>

]