
# [Apr 26, 2023 CRT-450 PDF Questions and Testing Engine With 150 Questions [Q59-Q82



[Apr 26, 2023] CRT-450 PDF Questions and Testing Engine With 150 Questions Updated Exam Engine for CRT-450 Exam Free Demo & 365 Day Updates

To become a Salesforce Certified Platform Developer I, candidates must pass the CRT-450 exam. The exam consists of 60 multiple-choice questions that must be completed within 105 minutes. The exam covers various topics, including data modeling and management, Apex and Visualforce, debugging and testing, and security. The certification is ideal for individuals with experience in developing custom applications and those seeking to specialize in Salesforce development.

Overview about SALESFORCE CRT-450 Exam - Format: Multiple choice, multiple answer- Number of Questions: 60-Registration Fee: 200 USD- Passing Score: 65%- Length of Examination: 110 minutes **NEW QUESTION 59** 

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- \* A custom exception class must extend the system Exception class.
- \* A custom exception class can implement one or many interfaces.
- \* A custom exception class cannot contain member variables or methods.
- \* A custom exception class name must end with "Exception".

\* A custom exception class can extend other classes besides the Exception class.

## **NEW QUESTION 60**

Which two components are available to deploy using the METADATA API? Choose 2 answers

- \* Web-to-Case
- \* Lead Conversion Settings
- \* Case Settings
- \* Web-to-Lead

#### **NEW QUESTION 61**

Which two queries can a developer use in a visualforce controller to protect against SOQL injection Vulnerabilities? Choose 2 answers

- \* String qryName = '% ' + String.enforceSecurityChecks(name)+ '% '; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryNAme '; List queryResults = Database.query(qryString);
- \* StringqryName = '% ' + name '% '; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE

:qryNAme'; List queryResults = Database.query(qryString);

- \* String qryName = '% ' + String.escpaeSingleQuotes(name)+ '% '; String qryString = 'SELECT Id FROM Contact WHEREName LIKE :qryNAme'; List queryResults = Database.query(qryString);
- \* String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryNAme'; List queryResults = Database.query(qryString);

#### **NEW OUESTION 62**

Which two are phases in the Salesforce Application Event propagation framework? (Choose two.)

- \* Bubble
- \* Default
- \* Control
- \* Emit

# **NEW QUESTION 63**

Which tag should a developer include when styling from external CSS is required in a Visualforce page?

- \* apex:includeStyles
- \* apex:includeScript
- \* apex:require
- \* apex:stylesheet

## **NEW QUESTION 64**

Which aspect of Apex programming is limited due to multitenancy?

- \* The number of active Apex classes
- \* The number of methods in an Apex Class
- \* The number of records processed in a loop
- \* The number of records returned from database queries

## **NEW QUESTION 65**

Which two statements are acceptable for a developer to use inside procedural loops?

- \* Contact con = new Contact();
- \* ContactList.remove(i);
- \* Delete contactList;
- \* Account a = [SELECT id, Name FROM account WHERE id = : con.AccountId LIMIT 1];

## **NEW QUESTION 66**

A developer wants to use all of the functionality provided by the standard controller for an object, but needs to override the Save standard action in a controller extension. Which two are required in the controller extension class?

- \* Create a method named Save with a return data type of PageReference.
- \* Create a method that references this.superSave()
- \* Define the class with a constructor that takes an instance of StandardController as a parameter.
- \* Define the class with a constructor that creates a new instance of the StandardController class.

## **NEW QUESTION 67**

Which two statement can a developer use to throw a custom exception of type MissingFieldValueException?Choose 2 answers

- \* Throw (MissingFieldValueException, & #8217; Problem occurred & #8217;);
- \* Throw new MissingFieldValueException('Problem occurred');
- \* Throw new MissingFieldValueException();
- \* Throw Exception(new MissingFieldValueException());

#### **NEW QUESTION 68**

What are three ways for a developer to execute tests in an org? Choose 3.

- \* Bulk API
- \* ToolingAPI
- \* Metadata API
- \* Setup Menu
- \* Developer Console

# **NEW QUESTION 69**

What are two valid options for iterating through each Account in the collection List<Account> named AccountList? (Choose two.) for (Account the Account : AccountList) { & #8230; }

- \* for(AccountList) { & #8230; }
- \* for (List L : AccountList) { & #8230; }
- \* for (Integer i=0; i < AccountList.Size(); i++) { &#8230;}

Explanation/Reference:

# **NEW QUESTION 70**

What are three ways for a developer to execute tests in an org? Choose 3.

- \* Bulk API
- \* Tooling API
- \* Setup Menu
- \* Salesforce DX
- \* Metadata API.

https://developer.salesforce.com/docs/atlas.en-us.sfdx\_dev.meta/sfdx\_dev/sfdx\_dev\_testing.htm https://developer.salesforce.com/docs/atlas.en-us.api\_tooling.meta/api\_tooling\_api\_objects\_apextestsuite.htm

#### **NEW QUESTION 71**

Which three data types can be returned from an SOQL statement? (Choose three.)

- \* Boolean
- \* List of sObjects
- \* Single sObject
- \* Integer
- \* String

## **NEW QUESTION 72**

Which two are best practices when it comes to component and application event handling? (Choose two.)

- \* Reuse the event logic in a component bundle, by putting the logic in the helper.
- \* Use component events to communicate actions that should be handled at the application level.
- \* Handle low-level events in the event handler and re-fire them as higher-level events.
- \* Try to use application events as opposed to component events.

#### **NEW QUESTION 73**

A developer has the following class and trigger code:

public class InsuranceRates { public static final Decimal smokerCharge = 0.01; } trigger ContactTrigger on Contact (before insert) { InsuranceRates rates = new InsuranceRates(); Decimal baseCost = XXX; } Which code segment should a developer insert at the XXX to set the baseCost variable to the value of the class variable smokerCharge?

- \* Rates.smokerCharge
- \* Rates.getSmokerCharge()
- $* \ Contact Trigger. In surance Rates. smoker Charge \\$
- \* InsuranceRates.smokerCharge

## **NEW QUESTION 74**

A developer needs to include a Visualforce page in the detail section of a page layout for the Account object, but does not see the page as an available option in the Page Layout Editor.

Which attribute must the developer include in the <apex:page> tag to ensure the Visualforce page can be embedded in a page layout?

- \* standardController= "Account"
- \* extensions= "AccountController"
- \* controller= " Account "
- \* action= " AccountId"

#### **NEW QUESTION 75**

When loading data into an operation, what can a developer do to match records to update existing records? (Choose 2)

- \* Match an auto-generated Number field to a column in the imported file.
- \* Match an external Id Text field to a column in the imported file.
- \* Match the Name field to a column in the imported file.

\* Match the Id field to a column in the imported file.

## **NEW QUESTION 76**

Which two queries can a developer use in a visual force controller to protect against SOQL injection Vulnerabilities? Choose 2 answers

- \* String qryName = '% ' + String.enforceSecurityChecks(name)+ '% '; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryNAme '; List queryResults = Database.query(qryString);
- \* String qryName = '% ' + name '% '; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryNAme'; List queryResults = Database.query(qryString);
- \* String qryName = '% ' + String.escpaeSingleQuotes(name)+ '% '; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryNAme '; List queryResults = Database.query(qryString);
- \* String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryNAme'; List queryResults = Database.query(qryString);

## **NEW QUESTION 77**

Which two queries can a developer use in a Visualforce controller to protect against SOQL injection vulnerabilities? Choose 2 answers

\* String qryName = % +String.enforceSecurityChecks(name)+ %;

String qryString = SELECT Id FROM Contact WHERE Name LIKE :qryNAme ;

List queryResults = Database.query(qryString);

\* String qryName = % + name %;

String qryString = SELECT Id FROM Contact WHERE Name LIKE:qryNAme;

List queryResults = Database.query(qryString);

\* String qryName = % + String.escapeSingleQuotes(name)+ %;

String qryString = SELECT Id FROM Contact WHERE Name LIKE :qryNAme ;

List queryResults = Database.query(qryString);

\* String qryString = SELECT Id FROM Contact WHERE Name LIKE :qryNAme ; List queryResults = Database.query(qryString);

# **NEW QUESTION 78**

What are two ways a developer can get the status of an enquered job for a class that queueable interface? Choose 2 answers

- \* View the apex status Page
- \* View the apex flex Queue
- \* View the apex Jobs page
- \* Query the AsyncApexJobe object

#### **NEW QUESTION 79**

A developer is asked to create a custom Visualforce page that will be used as a dashboard component.

Which three are valid controller options for this page? (Choose three.)

\* Use a standard controller.

- \* Use a standard controller with extensions.
- \* Use a custom controller with extensions.
- \* Do not specify a controller.
- \* Use a custom controller.

#### **NEW OUESTION 80**

A lead object has a custom field Prior\_Email\_\_c. The following trigger is intended to copy the current Email into the Prior\_Email\_\_c field any time the Email field is changed:

```
trigger test on Lead (before update) {
    for(Lead ld: trigger.new)
{
        if(ld.Email != trigger.olavap.get (ld.ld).email)
        {
            ld.Prigg_mail__c = trigger.old,ap.get(ld.ld).email;
            update ld;
        }
    }
}
```

Which type of exception will this trigger cause?

- \* A null reference exception
- \* A compile time exception
- \* A DML exception
- \* A limit exception when doing a bulk update

#### **NEW QUESTION 81**

A developer creates an Apex Trigger with the following code block:List<Account> customers = new List<Account>();For (Order\_c o: trigger.new){Account a = [SELECT Id, Is\_Customer\_c FROM Account WHERE Id

:o.Customer\_\_c];a.Is\_Customer\_\_c = true;customers.add(a);}Database.update(customers, false);The developer tests the code using Apex Data Loader and successfully loads 10 Orders. Then, the developer loads 150 Orders. How many Orders are successfully loaded when the developer attempts to load the 150 Orders?

- \* 0
- \* 1
- \* 150
- \* 100

#### **NEW OUESTION 82**

What can a developer use to determine if the core Apex code exceeds any governor limits in a test class during bulk execution?

- \* Limits, startTest, stopTest
- \* Test.getDmlStatements()
- \* @TestSetup.
- \* @TestVisible

Export date: Thu Nov 21 10:01:44 2024 / +0000 GMT
To be eligible to take the Salesforce CRT-450 exam, candidates must have a solid understanding of Salesforce fundamentals, including the Salesforce data model, security model, and user interface. They must also have experience developing applications on the Salesforce platform using Apex and Visualforce.
Exam Passing Guarantee CRT-450 Exam with Accurate Quastions: <a href="https://www.examslabs.com/Salesforce/Salesforce-Developers/best-CRT-450-exam-dumps.html">https://www.examslabs.com/Salesforce/Salesforce-Developers/best-CRT-450-exam-dumps.html</a> ]

This page was exported from - Exams Labs Braindumps