


Exam Questions Answers Braindumps 1z0-1068-22 Exam Dumps PDF Questions [Q33-Q57]



Exam Questions Answers Braindumps 1z0-1068-22 Exam Dumps PDF Questions [Q33-Q57]

Exam Questions Answers Braindumps 1z0-1068-22 Exam Dumps PDF Questions
Download Free Oracle 1z0-1068-22 Real Exam Questions

QUESTION 33

What three tasks, if implemented, can a contact with the storefront role of Administrator perform on a B2B Storefront? (Choose three.)

- * Set product pricing discounts for the Account contract per site
- * Create, edit, and delete contacts
- * Specify an order approval threshold value
- * Approve or reject a registration request for a contact
- * Approve or reject an order that requires approval

QUESTION 34

Given the example custom widget template code:

```
<!-- ko with: product -->
  <!-- ko if: $data.hasOwnProperty("videoURL") && videoURL -->
    <h4 data-bind="widgetLocaleText: {value: 'videoHeading',
attr: 'innerText', params:
{productTitle: displayName()}}"></h4>
  <!-- /ko -->
<!-- /ko -->
```

Where will the value of `displayName` be read from?

- * The widget `$data` variable
- * Product view model
- * The widget locale resources
- * Widget observable attributes

QUESTION 35

When working with the agent REST APIs, the site context is important. What are twoways the site context can be set? (Choose two.)

- * `siteId` property in the JSON request and response
- * the `webhook;ssiteId` property setting
- * site request header, such as `{X-CCSite; : ;siteA;}`
- * query parameter, such as `POST/ccagent/v1/orders?siteId=siteA`

QUESTION 36

After a year running their sites on Commerce Cloud, an international company has changed the URL patterns for both the product and collection pages across multiple languages. The product page URL pattern has been updated to use a queryable URL slug. The collection page URL pattern has been updated by translating the string `;category;` into each language, but retained the same structure with no queryable URL slug.

Which set of actions should the company take on the URL Patterns tab to complete the process?

- * Deselect Auto Redirect and click the Build URL Slugs button for the collection page
- * Deselect Auto Redirect and click the Build URL Slugs button for the product page
- * Select Auto Redirect and click the Build URL Slugs button for the product page
- * Select Auto Redirect for collections, deselect it for products, and click the Build URL Slugs buttons

QUESTION 37

If your storefront has both B2B and B2C implementations, you will need to have one Order History Layout for B2B as well as a different Order History Layout for B2C.

What is the reason for this?

- * Each layout will use different instances of the Secondary Navigation widget, depending if the shopper is account based or not.
- * If implemented, delegated administrators can view a list of all previous orders placed from the account shopper.
- * Account-based orders are tied to an Account, and the Order History Layout for B2B needs a B2B Order History widget instance.
- * You cannot have one layout used for both B2B and B2C shoppers.

QUESTION 38

Oracle Commerce Cloud allows developers and business users to change the shopper experience to suit their needs by modifying

components within page layouts via the REST APIs or via the Administration UI.

How can you create a new page layout instance?

- * Create a new layout instance by cloning an existing layout instance
- * Upload a new storefront extension that defines the new layout instance
- * Determine the type of layout and create a new blank instance
- * You cannot create a new layout instance since there is a fixed number of layouts that cannot be updated

QUESTION 39

Which two statements describe the gateway configuration definition in the config.json file? (Choose two.)

- * TheconfigTypeproperty must be set to the value payment
- * Valid values for theinstancesproperty areagent,preview,test, andstorefront
- * No additional properties are needed to enable a payment method for scheduled orders
- * The configuration must include a property with the IDpaymentMethodTypes

QUESTION 40

The following code snippet shows thecustomPropertiessubobject included in the payments object in the payments object in a sample JSON request payload:

```
"payments": [  
  {  
    ...  
    "customProperties": {  
      "MonthlyCharge": "$25",  
      "NumberOfPayments": "12"  
    }  
    ...  
  }  
]
```

Which two statements describe how the custom properties were included in the request? (Choose two.)

- * Custom properties can be added via a custom widget
- * Custom properties are included in the gateway extension's JavaScript
- * Custom properties are specified in the config.json file for the gateway extension
- * Custom properties are specified in thecreateOrderREST request

QUESTION 41

A developer is customizing the payment methods widget to enable the shopper to store a credit card when checking out. The widget needs to add three properties to the payments object of the JSON authorization request when creating the order:

- * saveCard(Boolean)
- * nickname(String)
- * setAsDefault(Boolean)

Each of the properties needs to be bound to a particular view model for the properties to be added to the payments object.

Which is the correct view model?

- * orderViewModel
- * widgetPaymentViewModel
- * cartViewModel
- * paymentViewModel

QUESTION 42

A storefront developer has just logged into the Commerce Cloud Administration UI and selects the Design page to begin configuring layouts and components for their account-based implementation.

What two key concepts must they understand? (Choose two.)

- * A B2B Storefront implementation can include B2B-specific widgets as well as standard widgets that support both B2B and B2C implementations.
- * Out-of-the-box B2B-specific storefront layouts and associated components must be used for the account-based implementation and cannot be customized.
- * `“Display layout to account shoppers only”` must be selected in the layout settings in order to restrict the layout to account-based shoppers only.
- * A B2B storefront implementation can only support one site per Account.

QUESTION 43

A developer would like to pass two custom properties called `interestRate` and `remainingPayments` from the custom payment integration service to Commerce Cloud in the JSON response payload. The `remainingPayments` property should be returned to the storefront to be used in a custom widget.

Which code snippet included in the JSON response accomplishes this?

- A.

```
"customProperties" : {
  "interestRate" : "0.05",
  "remainingPayments" : " 3 "
},
"customPaymentProperties" :
["remainingPayments",
"latePayment"]
```
- B.

```
"additionalProperties" : {
  "interestRate" : "0.05",
  "remainingPayments" : " 3 "
}
"externalProperties" :
["remainingPayments",
"latePayment"]
```
- C.

```
"customProperties" : {
  "interestRate" : "0.05",
  "remainingPayments" : " 3 "
},
"externalProperties" :
["remainingPayments",
"latePayment"]
```

- * Option A

- * Option B
- * Option C

QUESTION 44

Which two statements describe benefits of the custom payment framework for merchants? (Choose two.)

- * Merchants can leverage the provided payment webhooks or create their own custom webhooks
- * Merchants can change the underlying payment service provider without affecting their integration
- * Merchants can store credit cards on the Commerce Cloud server in its PCI-compliant zone
- * Merchants can apply their own business rules on top of each transaction

QUESTION 45

Which use case does NOT require the use of multiple sites or multiple instances?

- * A company has stores in multiple countries and their stores only differ by the languages and currencies they support
- * A company wants to expand their brand to multiple countries with multiple languages and currencies.

The

stores sell different products and have different promotions, but share shoppers

- * A company has two brands with mostly different products. The brand stores have separate carts, payment gateways, and tax providers, with a unique look and feel
- * A company operates three distinct brands operating as separate business units with different teams. The brands share no layouts, promotions, content, products, or shoppers

QUESTION 46

An account buyer logs into the storefront, but does not see the addresses associated with their account on the My Account page.

What is the reason for this behavior?

- * The Profile Navigation – Account Shoppers widget instance settings was not configured to include an option for Account Address Book
- * By default, the account buyer needs to create an order before the Account Address Book is displayed
- * The account buyer did not have the correct storefront role to access the Account Address Book
- * The Contact Login (for Managed Accounts) element is configured on the header widget which only supports B2C login

QUESTION 47

Given the example element.json configuration:

```
{
  "inline": false,
  "type": "fragment",
  "translations": [
    {
      "language": "en",
      "title": "Hello Element",
      "description": "Displays a greeting to the user"
    },
    {
      "language": "fr",
      "title": "Bonjour Element",
      "description": "Affiche un message d'accueil"
    }
  ]
}
```

What does the inline attribute determine?

- * whether the element should be inserted as an HTML span or as a div
- * whether the translation text is inserted into the element source
- * the display characteristic of the element
- * whether the element can be included in another element

QUESTION 48

Which two describe the assets contained in a storefront extension .zip archive? (Choose two.)

- * the defined format of expected JSON request and response payloads
- * a hierarchy of folders and files that are specific to the extension type
- * language translation resources for each language used on the storefront
- * configurations for function and event webhooks related to the extension

QUESTION 49

What are two use cases for fragmenting widgets into elements? (Choose two.)

- * Reduce the page load times and improve performance
- * Allow greater control over the position of widget functionally on the storefront
- * Improve reusability and extensibility of widget code
- * Separate the HTML display template and JavaScript files

QUESTION 50

Consider the widget template snippet, which uses Knockout's containerless control flow syntax based on comment tags:

```
<ul>
  <li>Item #1</li>
  <!--ko if=product -->
  <li>Item #2</li>
  <!-- /ko -->
</ul>
```

Under what condition will `Item #2` be displayed?

- * Item #2 will never be displayed
- * if the Product view model is available on the page
- * Item #2 will always be displayed
- * If the shopper has a product in his/her cart

QUESTION 51

Your client company has created a seasonal site that shares layouts with the default site, but has a different design theme that they have created on the Design page.

What do they need to do in the Administration UI to associate the new theme to the seasonal site?

- * They cannot do this in the Administration UI. They must use the `/ccadmin/v1/sites` endpoint

- * On the Design page, select the site and create a new theme under that site
- * Edit the theme's JavaScript code to limit it to the seasonal site
- * On the Settings page, navigate to the seasonal site and select the new theme in the Theme property

QUESTION 52

What are two examples of existing functionality provided with Commerce Cloud custom bindings? (Choose two.)

- * display product images
- * save local data to disk
- * connect to source control repositories
- * format date and numbers
- * publish messages to other websites

QUESTION 53

Which three features are supported in a B2B Storefront implementation? (Choose three.)

- * A displaying products and prices that are specific to the logged in contact's account
- * managing account buyers and addresses on the storefront by contacts with account specified storefront roles
- * simultaneously logging into multiple accounts in order to compare product items and prices
- * requiring an order approval based on a specified price threshold associated with the account
- * sharing a purchase list with a contact from another account

QUESTION 54

Which three statements describe webhooks in Commerce Cloud? (Choose three.)

- * Function webhooks support synchronous calls to external applications
- * Webhooks are only configured using the Server Extensions REST API
- * Event webhooks support asynchronous, event-triggered outbound calls to custom integration endpoints
- * Webhooks can be defined separately for Storefront, Preview, and Agent instances
- * Webhooks use the POST HTTP method for the outgoing call

QUESTION 55

A company is setting up multiple country-specific sites that have unique emails, separate payment gateways and shipping methods by country, and other site-specific settings. They share Oracle integrations (e.g. Oracle Retail Order Management System Cloud, Oracle Loyalty Cloud, Oracle Customer Experience Cloud). They plan to add sites in the Administration UI.

Based on their use case, when should they create the additional sites to minimize the changes they need to make?

- * At any time, because updates to shared configuration to the default site alter the child sites.
- * Create the additional sites before configuring anything on the default site.
- * Configure the Oracle integrations for the default site and then create additional sites.
- * Configure the default site fully and then add the additional sites.

QUESTION 56

An account buyer receives an email notification that their order has been approved and they can pay for the order. Once they click the associated link, it brings them to the B2B Checkout Payment After Approval layout.

Which two are valid statements regarding the B2B Checkout Payment After Approval layout? (Choose two.)

- * This is an out-of-the-box layout that provides payment options for orders requiring approval

- * The layout is of type Checkout and is displayed to account shoppers only
- * The layout allows the buyer to modify the order details and input payment information
- * The layout is only displayed when the order status is PENDING_PAYMENT

Explanation

Orders that meet the criteria for requiring approval are sent back to OCC and put into the out-of-the-box order approvals workflow. Set the layout to be displayed when the Order Status is PENDING_PAYMENT

QUESTION 57

A company currently has two sites. The ID of the default site is siteA. The ID of the second site is siteB. They want to create a third site, but have it copy the configurations of siteB rather than the default siteA.

Which endpoint, method, and URI do they use to accomplish this?

- * The createSiteFromForm endpoint, using GET with the URI set to /ccadmin/v1/siteCreateForms/ siteB
- * The updateSite endpoint, using PUT with the URI set to /ccadmin/v1/sites/siteB
- * The createSite endpoint, using POST with the URI set to /ccadmin/v1/sites/siteB
- * The getSite endpoint, using GET with the URI set to /ccadmin/v1/sites/siteB

Latest Oracle 1z0-1068-22 Real Exam Dumps PDF:

<https://www.examlabs.com/Oracle/CX-Commerce/best-1z0-1068-22-exam-dumps.html>