


## [Oct 30, 2023 Fully Updated Dumps PDF - Latest C\_FIOAD\_2021 Exam Questions and Answers [Q36-Q54]



[Oct 30, 2023] Fully Updated Dumps PDF - Latest C\_FIOAD\_2021 Exam Questions and Answers  
100% Free C\_FIOAD\_2021 Exam Dumps to Pass Exam Easily from ExamsLabs

**NO.36** Which selection options are available when you activate the SAP performance trace tool (transaction

/IWFND/TRACES)? There are 2 correct answers to this question.

- \* Variant name
- \* Transaction name
- \* Request URI prefix
- \* User name

**NO.37** You want to work with the SAP Gateway performance trace tool (transaction /IWFND/TRACES). What can you configure? There are 2 correct answers to this question.

- \* The number of days to keep the performance trace data
- \* The maximum number of entries in the trace
- \* The application server(S) on which the trace is activated
- \* The duration in hours for the active trace

**NO.38** You want to enable apps based on KPI design. Which configuration steps apply to the KPI design? There are 2 correct answers to this question.

- \* Registration of the following OData services.

./UI2/PAGE\_BUILDER\_PERS

./UI2/INTEROP

- \* Activation of ICF services in the name range /sap/bc/ui5\_ui5/sap/sb\_apps\_\*
- \* registration of the following OData services:

./SSB/SMART\_BUSINESS\_DESIGNTIME\_SRV

./SSB/SMART\_BUSINESS\_RUNTIME\_SRV

- \* Activation of ICF services below node /sap/bc/ui5\_ui5/ui2s

**NO.39** You want to set up SAP Fiori search for SAP S/4HANA 1610. What should you do in the BES system? There are 2 correct answers to this question.

- \* Run task list SAP\_ESH\_INITIAL\_SETUP\_WRK\_CLIENT
- \* Run task list SAP\_ESH\_INITIAL\_SETUP\_000\_CLIENT
- \* Assign role SAP\_ESH\_LOCAL\_ADMINIII to your user
- \* Assign role SAP\_ESH\_SEARCH to your user

**NO.40** Your SAP S/4HANA system with a PAS instance and one AAS instance is not running. The SAP HANA database of this system is up and running. You execute command `&#8220;sapcontrol- user <sid>adm <password> -nr`

`<Instance Number of AAS> -function StartSystem LEVEL 2&#8243;` in a suitable environment. Which component(s) of the systems will be started?

- \* The ASCS instance and the PAS instance
- \* The AAS instance only
- \* No instance is started
- \* The ASCS instance only

**NO.41** Which of the following items need to be maintained in the target mapping to locate an SAPUI5 application?

There are 3 correct answers to this question.

- \* Application type
- \* System alias
- \* Component ID
- \* ICF service URL
- \* Application configuration

**NO.42** Which app types are used in display the details of an SAP Fiori search result entry? There are 2 correct answers to this question.

- \* Object page
- \* Transactional
- \* Analytical
- \* Fact sheet

**NO.43** You want to enable communication between the SAP web dispatcher and an ABAP-based SAP system. How do you check prerequisites for the SAP web dispatcher? There are 2 correct answers to this question.

- \* Ensure that ICF service /sap/public/icf\_info/icr\_groups is active
- \* Determine the HTTP port of the ABAP message server
- \* Determine the HTTP port of the PAS instance&#8217;s ICM Process

\* Ensure that ICF service/sap/public/ping is active

**NO.44** In your FES system, the following system alias are defined: The following screenshot shows the definition of OData service ZMM\_PUR\_PR\_PROCESS\_SRV: Your user is assigned to user roles ZS4SIA and ZS4EUR in the FES system. You are executing the following URI request in the gateway client of the FES system

:/sap/opu/odata/sap/ZMM\_PUR\_PR\_PROCESS\_SRV:mo/<0Data-request> From which BES system will the data come from?

- \* S4A and S4N
- \* S4A and S4E
- \* S4E and S4N
- \* S4E and LOCAL

**NO.45** Which transaction can you use to display the value of a profile parameter? There are 2 correct answers to this question.

- \* RZ03
- \* RZ11
- \* RZ04
- \* RSPFPAR

**NO.46** You want to configure legacy applications (Web Dynpro/ABAP transactions) to run on SAP fiori Launchpad in a central hub deployment. What configuration steps are necessary? There are 2 correct answers to this question.

- \* Define the HTTPS and RFC connections to the BES in the FES system
- \* Define HTTPS and RFC connections to the FES system in the BES system.
- \* Activate the ICF nodes for web Dynpro ABAP in the FES system
- \* Activate the ICF nodes for web dynpro ABAP in the BES system

**NO.47** You want to set up a trusted RFC relationship between the FES system and the BES system. What are the advantages after setting it up? There are 2 correct answers to this question.

- \* User-specific logon data must NOT be checked in the trusting system.
- \* The timeout mechanism protects against replay attacks.
- \* Single sign-on (SSO) is possible beyond system boundaries.
- \* Passwords are transmitted securely in the network.

**NO.48** You have configured an SAP Web Dispatcher and set

&#8211; wdisp/ssl\_encrypt=2

&#8211; icm/server\_port\_<xx> =&#8230;PROT=HTTP

Which communication channels does this establish?

- \* HTTPS between the client and SAP Web Dispatcher

HTTP between SAP Web Dispatcher and the SAP system

- \* HTTP between the client and SAP Web Dispatcher

HTTP between SAP Web Dispatcher and the SAP system


- \* HTTPS between the client and SAP Web Dispatcher

HTTPS between SAP Web Dispatcher and the SAP system

- \* HTTP between the client and SAP Web Dispatcher

HTTPS between SAP Web Dispatcher and the SAP system

**NO.49** You are maintaining a user master record in AS ABAP. What can you conclude from the value FI in the User Group field as highlighted in the screenshot below?



- \* Only user administrators with authorization S\_USER\_GRP = FI can maintain the current user.
- \* The current user is user administrator for users assigned to user group FI.
- \* This entry is for reporting reasons only.
- \* The current user gets additional authorizations that are assigned to user group FI in transaction SUGR.

**NO.50** The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? There are 2 correct answers to this question.

- \* By assigning the correct target mappings, shipped via catalog /UI2/CLASSICAL\_GUI\_MENU
- \* By assigning the authorization to start transaction SEARCH\_SAP\_MENU
- \* By providing an HTTP destination type H named FIORI\_CLASSICUI\_HTTPS (transaction SM59)
- \* By applying the correct settings in the SAP Fiori launchpad configuration (transaction

/UI2/FLP\_SYS\_CONF or /UI2/FLP\_CUS\_CONF)

**NO.51** Which transactions can you use to check the consistency need a direct connection to the BES system? There are 2 correct answers to this question.

- \* Analytical apps
- \* Legacy apps
- \* Fact sheet apps
- \* SAP fiori search

**NO.52** You want to start an SAP S/4HANA 1909 system with PAS and AAS instances. What must be running before the AAS instance can start? There are 2 correct answers to this question.

- \* PAS instance

- \* ASCS instance
- \* SAP Web Dispatcher
- \* Database of the SAP system

**NO.53** You are setting up an SAP Fiori landscape with central hub deployment. How can you ensure that the URL launched by transaction /UI2/FLP includes the host name and the port of the SAP web Dispatcher?

- \* In the FES system, maintain table HTTPURLLOC
- \* For the SAP web dispatcher, set parameter wdisp? system\_<x>
- \* In the FES system, maintain view /IWFND/V\_DFSYAL
- \* For the SAP web dispatcher, maintain the client PSE

**NO.54** Which applications can be used to display the results from SAP Fiori search? There are 2 correct answers to this question.

- \* Object page
- \* Worklist
- \* List report
- \* Overview page

**Free C\_FIOAD\_2021 Exam Questions C\_FIOAD\_2021 Actual Free Exam Questions:**

[https://www.examlabs.com/SAP/SAP-Certified-Technology-Associate/best-C\\_FIOAD\\_2021-exam-dumps.html](https://www.examlabs.com/SAP/SAP-Certified-Technology-Associate/best-C_FIOAD_2021-exam-dumps.html)