


## [Q47-Q65 Updated Oct-2023 Test Engine to Practice Test for 1z0-931-23 Exam Questions and Answers!



Updated Oct-2023 Test Engine to Practice Test for 1z0-931-23 Exam Questions and Answers!  
Oracle Autonomous Database Cloud 2023 Specialist Certification Sample Questions and Practice Exam

### QUESTION 47

Which can be Scaled Independently of the number of CPUs In an Autonomous Database?

- \* Parallelism
- \* Storage
- \* Concurency
- \* Memory
- \* Sessions

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/autonomous-key-features.html#GUID-7D0627D9-1B40-40B1-865A-84FF65A65846> Key Features Fully elastic scaling: Scale compute and storage independently to fit your database workload with no downtime:

#### QUESTION 48

Autonomous Database's auto scaling feature allows your database to use up to three times the current base number of CPU cores at any time. As demand increases, auto scaling automatically increases the number of cores in use. Likewise, as demand drops, auto scaling automatically decreases the number of cores in use.

Which statement is FALSE regarding the auto scaling feature?

- \* For databases on dedicated Exadata infrastructure, the maximum number of cores is limited by the number of free cores that aren't being used by other auto scaling databases to meet high-load demands.
- \* The base number of OCPU cores allocated to a database is not guaranteed.
- \* For databases on dedicated Exadata infrastructure, the maximum number of cores available to a database depends on the total number of cores available in the Exadata infrastructure instance.
- \* Auto scaling is enabled by default and can be enabled or disabled at any time.

#### QUESTION 49

When an administrator rotates the instance wallet for an Autonomous Database on Shared Infrastructure, what happens to the regional wallets used with that instance?

- \* They continue to work
- \* They revert to pending
- \* They are also rotated
- \* They become invalid

#### QUESTION 50

What is the role of a Fleet Administrator in Autonomous Database (ADB) on Dedicated Infrastructure deployments?

- \* Fleet Administrator defines and gains access to the ADMIN administrative user account for the database.
- \* Fleet administrators create, monitor and manage Autonomous Exadata Infrastructure and Autonomous Container Database resources.
- \* Fleet Administrators are responsible for patching and backups of all container databases.
- \* Fleet Administrators create, monitor and manage Autonomous Databases.

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbah/index.html#articletitle>

<https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/index.html>

#### QUESTION 51

Which two statements are true about Recovery Time Objective (RTO) and Recovery Point Objective (RPO) for Autonomous Data Guard?

- \* RPO is adjustable, but RTO is always 5 minutes
- \* RTO and RPO are adjustable through the OCI console
- \* RTO and RPO are 0 minutes for manual failovers
- \* RTO is 2 minutes for an automatic failover
- \* RPO is 0 minutes for an automatic failover

#### QUESTION 52

For someone that is not a service administrator to use SQL Developer Web, what package would you need to use to give them access?

- \* SQLDEV\_ADMIN.GRANT\_SCHEMA
- \* ORDS\_ADMIN.ENABLE\_SCHEMA
- \* ORDS\_ADMIN.GRANT\_SCHEMA
- \* ORDS\_PRIV.ENABLE\_SCHEMA

As an alternative, the ADMIN can provide Web Access for a user, REST enable a user, with SQL commands. As the ADMIN user run the following code:

```
BEGIN
```

```
ORDS_ADMIN.ENABLE_SCHEMA(  
.br/>.br/>);
```

```
COMMIT;
```

```
END;
```

```
/
```

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/sql-developer-web.html#GUID-4B404CE3-C832-4089-B37A-ADE1036C7EEA>

### QUESTION 53

Which are the two restrictions for an Always Free Autonomous Database?

- \* supports only ATP as a workload type
- \* maximum of two Always Free Databases per OCI tenancy
- \* Oracle Application Express (APEX) not included
- \* maximum of one OCPU per Database

### QUESTION 54

Which statement is correct about managing and monitoring of Autonomous Database?

- \* You can use Service console to move Autonomous DB between compartments.
- \* You can use Service console to create manual backups of Autonomous database.
- \* You can use Service console to enable or disable auto scaling of Autonomous DB.
- \* You can use Service console to manage runaway SQL statements on Autonomous DB.

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/manage-sql-statements.html#GUID-4861BA7F-F9FA-4909-8DC0-4F46AFF80706>

### QUESTION 55

Which workload type does the Autonomous Database on dedicated infrastructure service currently support?

- \* Autonomous Transaction Processing only
- \* ATP and ADW
- \* Autonomous Data Warehouse only

- \* Hybrid Columnar compression

### QUESTION 56

What infrastructure does the Autonomous Database run on?

- \* VM on Oracle Cloud Infrastructure
- \* Bare-metal on Oracle Cloud Infrastructure
- \* Exadata on Oracle Cloud Infrastructure
- \* Any Oracle Engineered system

### QUESTION 57

Which statement is true about the use of Access Control Lists (ACLs) with an Autonomous Database on Shared Infrastructure?

- \* When you restore a database, the existing ACLs are not overwritten by the restore.
- \* An ACL can only be set during the creation of an Autonomous Database on Shared Infrastructure.
- \* ACLs can only be used with private endpoints.
- \* An ACL can be set up for an IP address or a virtual cloud network (VCN) but not both at the same time.

### QUESTION 58

Which Database Actions tool is used to get information about the entities in your Oracle Autonomous Database and to also see how changing an object affects other objects?

- \* Data Insights
- \* JSON
- \* Catalog
- \* Data Load

### QUESTION 59

To who, and in which order, are dedicated Exadata Infrastructure resources provisioned?

- \* Fleet Administrator, Autonomous Exadata Infrastructure -> Database Administrator -> Autonomous Container DB -> Autonomous DB
- \* Database Administrator, Autonomous Container DB -> Autonomous DB -> Fleet Administrator -> Autonomous Exadata Infrastructure
- \* Fleet Administrator, Autonomous Exadata Infrastructure -> Autonomous Container DB -> Database Administrator -> Autonomous DB
- \* Database Administrator, Autonomous Exadata Infrastructure -> Fleet Administrator -> Autonomous Container DB -> Autonomous DB

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbddoverview.htm>

### QUESTION 60

How do you change the tablespace quota for user MTHEO on Autonomous Database on Shared Infrastructure?

- \* Execute alter database for user MTHEO tablespace DATA quota = 10G;
- \* Execute alter user MTHEO quota unlimited on tablespace DATA;
- \* Execute DBMS\_CLOUD\_ADMIN.GRANT\_TABLESPACE\_QUOTA (username = MTHEO, V U tablespace\_quota -> UNLIMITED);
- \* Execute alter tablespace DATA quota = 10G;

### QUESTION 61

You need to create a new database via the Oracle Cloud Infrastructure (OCI) CLI with the following requirements:

- \* Autonomous Transaction Processing
- \* License Included
- \* Shared Infrastructure

Which parameter would you NOT use?

- \* db-workload
- \* is-dedicated
- \* db-type
- \* license-model

[https://docs.oracle.com/en-us/iaas/tools/oci-cli/2.9.9/oci\\_cli\\_docs/cmdref/db/autonomousdatabase/create.html](https://docs.oracle.com/en-us/iaas/tools/oci-cli/2.9.9/oci_cli_docs/cmdref/db/autonomousdatabase/create.html)

### QUESTION 62

Which management operation is correct about Autonomous Databases on shared Exadata infrastructure?

- \* You can skip a scheduled maintenance run. For Autonomous Databases on shared Exadata infrastructure, you can skip maintenance runs for up to two consecutive quarters if needed.
- \* You can choose to use Release Update (RU) or Release Update Revision (RUR) updates for your about Autonomous Databases on shared Exadata infrastructure.
- \* You cannot configure the scheduling for your Autonomous Databases on shared Exadata infrastructure.
- \* You can perform a rolling restart on all the Autonomous Databases. During a rolling restart, each node of an Autonomous Database is restarted separately while the remaining nodes continue to be available.

### QUESTION 63

Which three of the following data sources are available when using the Data Load page on Database Actions?

- \* Files in Oracle Cloud Storage
- \* Backup files in block storage
- \* Local Files
- \* Files in AWS S3 Storage
- \* REST endpoints

### QUESTION 64

Your customer wants to permanently disable scheduled maintenance on the Autonomous Database on Dedicated Infrastructure to keep their current database version(s).

How can they achieve this?

- \* Change the Automatic Maintenance Schedule to No Preference;
- \* You cannot permanently disable scheduled automatic maintenance
- \* Change the Automatic Maintenance Schedule to None;
- \* Change the Automatic Maintenance Schedule to Specify a Schedule; but do not select any month, week, or day

### QUESTION 65

Which cloud service is NOT supported to import data pump files from using Dedicated Exadata Infrastructure?

- \* Oracle Cloud Infrastructure Object Storage
- \* Google Cloud Storage
- \* Amazon S3
- \* Oracle Cloud Infrastructure Object Storage Classic

**Certification dumps Oracle Cloud 1z0-931-23 guides - 100% valid:**

<https://www.examlabs.com/Oracle/Oracle-Cloud/best-1z0-931-23-exam-dumps.html>