
[Feb 10, 2024 New 2024 Nutanix NCP-MCA Exam Dumps with PDF from ExamsLabs (Updated 77 Questions) [Q28-Q44



New 2024 NCP-MCA exam questions Welcome to download the newest ExamsLabs NCP-MCA PDF dumps (77 Q&As) P.S. Free 2024 Nutanix Certified Professional NCP-MCA dumps are available on Google Drive shared by ExamsLabs NEW QUESTION 28

Which method will result in unique names per VM when scaling out a Service in a Calm Blueprint?

- * Guest OS customization using sysprep contains <ComputerName>@@{name}@@</ComputerName>.
- * Service VM Name field contains the macro variable @@{calm array index}@@.
- * Call an external Python eScript that uses an IPAM API to register the VM name in DNS.
- * Set the VM Name field to allow user edits at launch so the user can enter a custom value at launch.

NEW QUESTION 29

Which feature of Calm allows for the creation of task-based automation against dynamic lists of Windows or Linux VMs?

- * Projects
- * Blueprints
- * Playbooks
- * Runbooks

NEW QUESTION 30


An administrator at a busy software development company is looking to roll out Calm for automation and estimates they will be creating 200 Projects, 500 Runbooks, 1500 Blueprints and automating the deployment of 7500 VMs for their development teams.

What size of Prism Central VM(s) is recommended to host the Calm environment?

- * 3 nodes Large 10vCPU and 52GB Memory per node.
- * 1 node Small 6vCPU and 30GB Memory per node.
- * 3 nodes Small 6vCPU and 30GB Memory per node.
- * 1 node Large 10vCPU and 52GB Memory per node.

NEW QUESTION 31

Refer to the exhibit.



The VM appSAP01dev is a SAP development environment application and it is common to have memory constrained alerts on this VM, but the administrator wants to avoid adding memory to development VMs like this one, since this is normally done for only

This page was exported from - <u>Exams Labs Braindumps</u> Export date: Sat Apr 5 8:57:46 2025 / +0000 GMT

production VMs.

Which two actions should the administrator take to avoid adding memory to the development VMs? (Choose two.)

- * Assign the category Environment:Production to the production VMs
- * Modify the Alert by adding the correct category
- * Disable the Alert in Prism Central
- * Assign the category Environment:Development to development VMs

NEW QUESTION 32

Which are valid entity types to be associated with a playbook using a manual trigger?

- * VM, Host, Prism Central
- * VM, Host, Cluster
- * VM, Category, Prism Element
- * VM, Category, Cluster

NEW QUESTION 33

A company has started a new project team and has asked an administrator to build the first blueprint for a new public cloud environment that was defined last week. This will be the first deployment to AWS.

The administrator has been given the following information:

VM Name: web01-@@{unique}@@

IP Address: Provider-assigned

OS version: Windows Server 2016

Deployment location: AWS

Region: us-west-1

Project: Default

What should the administrator do first when building the first blueprint?

- * Create a new blueprint
- * Create a new provider
- * Create a new project
- * Create a new service

NEW QUESTION 34

An administrator has built a Playbook to run a Powershell script in a VM when a specific alert is generated. Several days later, the alert is generated, but the script does not execute and there are no Plays recorded for the Playbook.


What is causing this issue?

- * The Playbook was never enabled.
- * The version of Playbooks is not correct for the version of Prism Central.
- * The script executed, but closed with an error code.

* The path to the script was not correct.

NEW QUESTION 35

Refer to the exhibit.



The Playbook is designed to execute a script, in order to fix a known problem in the application. However, it keeps failing.

Why is this Playbook continuing to fail?

- * Slack configuration should be reviewed.
- * The script is incorrect.
- * The Playbook actions are in the wrong order.
- * Not enough storage space in order to take a snapshot.

NEW QUESTION 36

How should an administrator enable Calm?

- * Prism Central -> Services -> Calm -> Enable
- * Prism Element -> LCM -> Calm -> Enable

- * Prism Central -> Settings -> Calm -> Enable
- * Prism Central -> Settings -> Upgrade Prism Central -> Calm -> Enable


NEW QUESTION 37

What role must a user have in order to create or update a Playbook?

- * Calm Developer
- * Prism Admin
- * Calm Admin
- * Project Admin

NEW QUESTION 38

Refer to the exhibit.



Saving the Calm Blueprint gives the validation error for VMware Blueprints shown in the exhibit.

What could be the cause of the error?

- * Number of Template vCPU components should be equal to the number of pCPU configured.
- * Number of Template NICs components should be equal to the number of Network Settings configured.
- * Number of Template devices components should be equal to the number of Devices configured.
- * Number of Template VMXNET3 components should be equal to the number of Virtual e1000 adapters configured.

NEW QUESTION 39

An administrator needs to add AWS as a usable destination for application deployments.

Where would the administrator perform the task?

- * Marketplace
- * Projects
- * Blueprints
- * Providers

NEW QUESTION 40

An administrator is providing users with access to the company's LOB applications through a VDI solution. The administrator received information that the company are going to hire 200 new employees who will be using these applications.

The environment is monitored by a third-party tool that notifies the administrator when the VDI solution is about to run out of capacity. This gives the administrator time to create additional resources and add them to the VDI solution.

What should the administrator use when creating a playbook to automate this?

- * A trigger based on a REST API
- * A trigger based on an email
- * A trigger based on an event
- * A trigger based on an alert

NEW QUESTION 41

What two pieces of information can an administrator obtain from Plays? (Choose two.)

- * Host where the action runs
- * Start time and end time of each action
- * Execution result status
- * CVM IP where the alert was triggered

NEW QUESTION 42

Where should an administrator check why a Playbook failed to grow the memory of a VM?

- * VM Details in Prism Element
- * Plays dashboard in Prism Central
- * VM Details in Prism Central
- * Plays dashboard in Prism Element

NEW QUESTION 43

Refer to the exhibit.

```
Directory: C:\
                                                        abs.com
Mode
          LastWriteTime
                                 Length
         /31/2019
A specified logon session does not exist
                                                    already have been terminated
                                          karan\2745f3c9-330a-4583-a26d-4fa8079d4012\2745f3c
At C:\Users\Administrator\AppNata
4fa8079d4012-503653a3-6879-4bf
                                    052c362d.ps1:15 char:1
 New PSDrive
                                           "FileSystem"
                                                                 "\\anitafileserv ...
   + CategoryInfo
                                  InvalidOperation:
                                                        (T:PSDriveInfo) [New-PSDrive]
   + FullyQualifiedErrorId
                                  CouldNotMapNetworkDrive, Microsoft. PowerShell.Comma
```

Calm encountered the error shown in the exhibit when importing a script that maps a network drive.

Upon further investigation, the Calm administrator was unable to run the script manually on a VM and discovered that elevated permissions were needed.

Which command should the administrator add to the script?

- * Enable-WSManCredSSP -Role Server -Force
- * Enable-WSManCredSSP -Role Client
- * Enable-WSManCredSSP -Role Server
- * Disable-WSManCredSSP -Role Server -Force

NEW QUESTION 44

An administrator manages two Nutanix clusters: Cluster01 and Cluster02 and has needs to automate similar workload types using these images that are located on Cluster01:

ImageA

ImageB

ImageC

The administrator needs to deploy ImageA and ImageC within the Cluster02 environment.

How this can be achieved?

- * Configure a Protection Domain to replicate images.
- * Clone the images from the Cluster01 to Cluster02.
- * All images are available to all clusters managed by a single Prism Central.

| This page was exported from - Exams Labs Braindumps Export date: Sat Apr 5 8:57:47 2025 / +0000 GMT | | | |
|---|--|--|--|
| * Utilize Prism Central image placement policies. | | | |
| | | | |
| | | | |
| | | | |
| NCP-MCA exam questions from ExamsLabs dumps: https://www.examslabs.com/Nutanix/Nutanix-Certified-Professional/best-NCP-MCA-exam-dumps.html (77 Q&As)] | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |